



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/026,734	12/27/2001	Blair T. Mackiewicz	A363 0017	1964
720	7590	09/20/2005	EXAMINER	
OYEN, WIGGS, GREEN & MUTALA LLP			NGUYEN, BINH QUOC	
480 - THE STATION			ART UNIT	
601 WEST CORDOVA STREET			PAPER NUMBER	
VANCOUVER, BC V6B 1G1			2664	
CANADA			DATE MAILED: 09/20/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 10/026,734	Applicant(s) MACKIEWICH ET AL.	
	Examiner Binh Q. Nguyen	Art Unit 2664	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12/27/2001.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-28 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |                                                                                                                        |                                                                                         |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                            | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. **Claims 1-28** are rejected under 35 U.S.C. 102(e) as being anticipated by *Laubach et al* the U.S. Patent. No.: 6,917,614, hereinafter referred to as *Laubach*.

**Regarding claim 1.** *Laubach* teaches data handling apparatus (*see Fig. 1 & 22, item "103"*) for handling data frames (*see col. 38, lines 24-65, and col. 40, line 4-23*) which are each associated with one of a plurality of priorities (*see col. 42, lines 24-56*) the apparatus comprising:

a bridge (*see Fig. 1 & 38, item "103"*) having a plurality of bridge ports (*see Fig. 1 & 38, items "310", "311", "2101", "2103"*), a first one of the bridge ports having a plurality of service interfaces (*see col. 32, lines 1-11, Fig. 31 items "311", "2101", and "2103", "The integrated services interface includes Video Controller Port Card 2101 and Voice Controller Port Card 2103" or item "311" means a plurality of service interface*), each of the service interfaces capable of being associated with a channel (*see Fig. 1 & 38, col. 8, lines 16-28*) in a connection-based network (*see col. 12, lines 16-59*);

Art Unit: 2664

a map associated with the first one of the bridge ports (*see Fig. 28, item "2702"*), the map providing a correspondence between each of the plurality of priorities and one of the service interfaces (*see col. 25, line 38-51, or col. 39, lines 27-50, Fig. 33, item "3318", "3302", and item "3320" in item "3101", item "3101" related of Fig. 31*);

a forwarding system (*see Fig. 33, item "3309"*) configured to read a priority of a data frame to be forwarded onto the connection-based network by way of the first one of the ports (*see col. 27, lines 4-33*), identify a service interface (*see col. 25, line 38-51*) which the map indicates corresponds to the read user priority (*col. 39, lines 27-50, and col. 19, line 4-26*) and forward the data frame over a channel in the connection-based network associated with the identified service interface (*see col. 12, lines 46-59, and col. 25, line 38-51*).

**Regarding claim 2.** *Laubach* teaches the apparatus of claim 1 wherein the map (*Fig. 28, or Fig. 29, item "2702" or item "2712" means the map*) comprises a lookup table (*see col. 37, lines 19-55*).

**Regarding claim 3.** *Laubach* teaches the apparatus of claim 1 each of the service interfaces is associated with a channel identified (*see col. 13, lines 20-58, and col. 30, lines 44-67*) by a predetermined connection identifier (*see col. 19, lines 4-26, and col. 39, lines 27-50*).

**Regarding claim 4.** *Laubach* teaches the apparatus of claim 3 wherein the connection-based network comprises an ATM network (*see col. 18, lines 3-36*), channels in the connection-based network are each identified by a connection identifier (*see claim 3 above*) comprising a VPI and a VCI (*see col. 30, lines 44-67*) and each of the service interfaces associated with the first one of the bridge ports is associated with a channel having the same predetermined VPI (*see col. 19, lines 4-26, and col. 39, lines 27-50*).

Art Unit: 2664

**Regarding claim 5.** *Laubach* teaches the apparatus of claim 4 wherein each of the service interfaces associated with the first one of the bridge ports is associated with a channel (*see Fig. 1 & 38, col. 8, lines 16-28*) having a predetermined VCI (*see col. 19, lines 4-26, and col. 39, lines 27-50*) and the VCI associated with each of the service interfaces associated with the first one of the bridge ports is different from the VCI associated with other ones of the service interfaces associated with the first one of the bridge ports (*see col. 23, lines 6-41, and col. 36, lines 4-31*).

**Regarding claim 6.** *Laubach* teaches the apparatus of claim 4 wherein a plurality of the bridge ports each have a plurality of associated service interfaces, the service interfaces associated with each one of the bridge ports are all associated with channels (*see Fig. 1 & 38, col. 8, lines 16-28*) having the same predetermined VPI (*see col. 21, line 35-to-col. 22, lines 41*) and the service interfaces associated with different ones of the plurality of bridge ports are associated with channels having different predetermined VPIs (*see col. 37, lines 19-55*).

**Regarding claim 7.** *Laubach* teaches the apparatus of claim 1 comprising a mechanism configured to identify a service interface by way of which a data frame is received at the first one of the bridge ports from the connection-based network (*see col. 21, line 35-63*), assign a priority (*see col. 28, lines 13-23*) to the data frame based upon the correspondence provided by the map and tag the data frame with the assigned priority (*see col. 39, lines 27-50*).

**Regarding claim 8.** *Laubach* teaches the apparatus of claim 1 comprising a scheme comprising a plurality of maps (*see Fig. 29, items 2702, 2712, 2802, 2708*) each of the plurality of maps applicable to a different number of available channels wherein the forwarding system is configured to determine a number of available channels associated with the first bridge port and to select one of the plurality of

Art Unit: 2664

maps in the scheme based upon the number of available channels (*see col. 35, line 54-to-col. 36, line 31*).

**Regarding claim 9.** *Laubach* teaches the apparatus of claim 8 wherein the maps in the scheme provide mappings such that when the number of available channels is increased by adding a new available channel, the forwarding system selects a next one of the plurality of maps which requires rerouting only of frames having priorities corresponding to the new available channel (*see col. 35, line 54-to-col. 36, line 31*).

**Regarding claim 10.** *Laubach* teaches the apparatus of claim 9 wherein the plurality of maps specify the correspondences between priorities and channels set out in Table I (*see col. 27, lines 34-to-col. 28, lines 61*).

**Regarding claim 11.** *Laubach* teaches a bridge for connecting a segment of a LAN to a connection-based network (*see Fig. 1 & 22, item "103" means a bridge, item "101" WAN means a connection based network, and LAN/WAN means connecting a segment of a LAN to a connection-base network*), the bridge comprising:

a plurality of bridge ports (*see Fig. 38, items "310", "311", "2101", "2103"*);

means for reading priorities of data frames directed by the bridge to at least a first one of the bridge ports (*see col. 12, lines 16-59, and col. 39, lines 27-50*);

a plurality of service interfaces associated with the first one of the bridge ports (*see col. 32, lines 1-11, Fig. 31 items "311", "2101", and "2103", "The integrated services interface includes Video Controller Port Card 2101 and Voice Controller Port Card 2103" or item "311" means a plurality of*

Art Unit: 2664

*service interface*), each of the service interfaces capable of being associated with a channel (*see Fig. 1 & 38, col. 8, lines 16-28*) in a connection-based network (*see col. 12, lines 16-59*);

means for determining a number of the service interfaces associated with active channels in the connection-based network (*see col. 30, lines 18-43*);

means for establishing a mapping (*see col. 35, lines 54-to-col. 36, line 40*) between user priorities read by the means for reading priorities of data frames and the service interfaces associated with active channels in the connection-based network based at least in part on a number of the service interfaces associated with active channels in the connection-based network (*see col. 12, lines 16-59, and col. 39, lines 27-50*); and,

means for assigning frames to the service interfaces based upon the user priorities and the mapping (*see col. 12, lines 16-45, and col. 23, lines 6-41*).

**Regarding claim 12.** *Laubach* teaches the bridge of claim 11 wherein the connection-based network comprises an ATM network (*see col. 18, lines 3-36*) and the first one of the bridge ports is associated with a predetermined VPI (*see col. 21, line 35-to-col. 22, lines 41*).

**Regarding claim 13.** *Laubach* teaches the bridge of claim 12 wherein each of the service interfaces is associated with a predetermined VCI (*see col. 21, line 35-to-col. 22, lines 41*).

**Regarding claim 14.** *Laubach* teaches the bridge of claim 11 wherein the means for reading user priorities reads a three bit field in frames tagged with user priorities (*see col. 27, line 34-to-col. 28, lines 23*).

Art Unit: 2664

**Regarding claim 15.** *Laubach* teaches the bridge of claim 11 wherein the means for assigning frames received at the bridge port to the output ports operates according to Table I (*see col. 27, line 18-to-col. 28, lines 61*).

**Regarding claim 16.** *Laubach* teaches a method for directing frames between segments of a VLAN (*see col. 19, lines 4-26, and col. 22, lines 42-65*) over a connection-based network (*see Fig. 1, and 9, col. 19, lines 4-26*), the method comprising:

receiving at a first bridge port connected to a first segment of a VLAN a frame addressed to a node on a second segment of the VLAN (*see col. 22, line 42-to-col. 23, lines 5*).

forwarding the frame to a second bridge port associated with a second segment of the VLAN and determining a user priority of the frame (*see col. 22, line 42-62*);

based on the user priority, assigning the frame to one of a plurality of service interfaces associated with the second bridge port (*see col. 12, lines 16-45*), each of the service interfaces capable of delivering data to the second segment of the VLAN by way of a corresponding channel in a connection-based network (*see col. 32, line 59-to-col. 33, line 16*).

**Regarding claim 17.** *Laubach* teaches the method of claim 16 comprising, before assigning the frames to one of the plurality of service interfaces, dropping any frames addressed to nodes on the first segment (*see col. 23, line 42-to-col. 24, lines 33*).

**Regarding claim 18.** *Laubach* teaches the method of claim 17 comprising, dropping the frames addressed to nodes on the first segment before reading the user priorities of the frames (*see col. 23, line 42-to-col. 24, lines 33, and col. 25, lines 7-25*).



Art Unit: 2664

**Regarding claim 19.** *Laubach* teaches the method of claim 16 comprising identifying a set of the service interfaces which correspond to available channels (*see col. 42, lines 24-56*) wherein assigning each of the frames to one of a plurality of output ports comprises selecting a mapping based upon the number of available channels (*see col. 24, lines 34-58*) and assigning the frames to service interfaces of the set of service interfaces which correspond to available channels according to the mapping (*see col. 23, lines 6-41*).

**Regarding claim 20.** *Laubach* teaches the method of claim 19 comprising assigning each of the frames to one of a plurality of service interfaces according to Table I (*see col. 27, line 18-to-col. 28, lines 61*).

**Regarding claim 21.** *Laubach* teaches the method of claim 19 comprising, while a current mapping is in effect, determining that a next channel has become available (*see col. 38, lines 40-65*) and switching to a next mapping, wherein the next mapping differs from the current mapping only in that one or more priorities are associated with the next channel (*see col. 42, lines 4-56*).

**Regarding claim 22.** *Laubach* teaches the method of claim 19 comprising, upon failure of a channel associated with one of the service interfaces, adjusting the mapping by remapping one or more priorities associated with the one of the service interfaces to one or more other ones of the service interfaces (*see col. 36, line 4 -to- col. 37 line 55*).

**Regarding claim 23.** *Laubach* teaches the method of claim 22 wherein adjusting the mapping comprises bumping frames of each priority assigned to the failed channel to a channel associated with a next lower priority (*see col. 38, lines 40-65, and col. 28, lines 13-62*).

**Regarding claim 24.** *Laubach* teaches the method of claim 22 wherein adjusting the mapping comprises bumping frames of each priority assigned to the failed channel a channel associated with a lowest priority for which a channel remains available (*see col. 28, lines 13-62*).

**Regarding claim 25.** *Laubach* teaches the method of claim 19 comprising upon failure of a channel associated with one of the service interfaces dropping frames having priorities associated with the one of the service interfaces (*see col. 36, line 4 -to- col. 37 line 55*).

**Regarding claim 26.** *Laubach* teaches the method of claim 19 comprising identifying a service interface by way of which a frame is received at one of the bridge ports from the connection-based network (*see col. 25, line 38-51*), assigning a priority to the data frame based upon the correspondence provided by the map and tagging the data frame with the assigned priority (*see col. 25, line 38-51, or col. 39, lines 27-50*).

**Regarding claim 27.** *Laubach* teaches the method of claim 25 wherein the map associates a plurality of priorities with the identified and the method comprises tagging the frame with a lowest one of the plurality of priorities (*see col. 35, line 54-to-col. 36, line 31*).

**Regarding claim 28.** *Laubach* teaches a VLAN (*see col. 19, lines 4-26, and col. 22, lines 42-65*) comprising a plurality of segments each bridged to a connection-based network (*see Fig. 1, and 9, col. 19, lines 4-26*) by an apparatus according to claim 1, the VLAN comprising:

a first apparatus bridging a first segment to the connection based network (*see Fig. 1 & 38, item 103 means bridged, item "101" means the connection based network, and col. 22, line 42-to-col. 23, lines 5*); and

Art Unit: 2664

a second apparatus bridging a second segment to the connection based network (*see Fig. 1 & 38, item 103 means bridged, item "101" means the connection based network, and col. 22, line 42-62*);

the first and second apparatus interconnected by a plurality of channels in the connection-based network (*see Fig. 1 & 38, item 103 means bridged, item "101" means the connection based network, and item 313, 306 are a plurality of channels*) each of the channels having a first end point at one of the service interfaces in the first apparatus and a second end point at one of the service interfaces in the second apparatus (*see Fig. 33 & 34, col. 22, line 42-62*).

### ***Contact Information***


3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Binh Q. Nguyen whose telephone number is 571-272-8563. The examiner can normally be reached on M-F: 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin can be reached on 571-272-3134. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2664


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent Examiner:

A handwritten signature in black ink, appearing to read 'Binh Q Nguyen', with a long horizontal stroke extending to the right.

Binh Q Nguyen

09/15/2005

A handwritten signature in black ink, appearing to read 'Wellington Chin', with a long horizontal stroke extending to the right.

WELLINGTON CHIN  
JUNIOR PATENT EXAMINER